Regency



MODEL RT-700
REMOTE TUNER
OPERATION . . . . .

Your Regency Model RT 700 Remote Tuner is a precision electronic appliance designed to increase your television enjoyment. In order to insure your enjoyment, you are urged to read the following operation instructions.

NOTE

The Regency Model RT 700 Remote Tuner is neither complicated nor time consuming to install. However, installation should not be attempted unless one is thoroughly familiar with television electronic circuits and is equipped with the necessary simple tools and test instruments. Any competent television service man can install the Regency Remote Tuner by following the instructions included with each unit.

OPERATION

A. At Television Receiver Set

1. Turn set "ON".
2. Turn "VOLUME" control full "ON".
3. Turn "PICTURE" control somewhat higher than normal.
4. Turn "CHANNEL SELECTOR" to a channel on which no picture or interference is received.





B. At Remote Tuner Unit

1. Turn unit "ON" by rotating "PICTURE" knob to the right.
2. Set "LOCAL-DISTANCE" switch on rear of tuner to appropriate position.
3. Set "SELECTOR" knob to desired channel.
4. Adjust "FINE TUNE" control.
5. Adjust "VOLUME" and "PICTURE" controls to suit.

NOTE

To change channels, set "SELECTOR" to desired channel and repeat steps 4 and 5 above.

C. To Turn "OFF"

1. Turn Remote Tuner "PICTURE" knob to extreme left.
2. Turn TV set "OFF".

D. General Information

The maximum sound volume and picture contrast are determined by settings of these controls on the TV set. The controls on the Remote Tuner are effective only to the limit set at the receiver.
After the maximum positions are set at the TV set, it will not normally be necessary to make additional adjustments to the TV set.

E. The Regency Remote Tuner can be adapted to UHF reception by the addition of a UHF "strip" for the appropriate channel. Consult your dealer or service man for complete information.

F. The "AC RECEPTACLE" on the rear of the Remote Tuner is energized when the unit is turned "ON". This outlet can be used for a lamp, booster, converter or any other appliance which does not consume more than 300 watts.

WARRANTY

The remote TV Tuner is sold under the standard RTMA warranty, which warrants it to be free from defects in material and workmanship. We agree to remedy such defect or to furnish a new part in exchange for any part, which, under normal installation, use and service, discloses such defect, provided the unit is delivered to us, intact, for our examination, with all transportation charges prepaid to our factory, within ninety days from the date of sale to the original purchaser, and provided such examination discloses, in our judgment, that it is thus defective.

This warranty does not apply if the remote TV Tuner has been subjected to misuse, neglect, accidents, incorrect wiring not our own, improper installation, or to use in violation of instructions furnished by us, nor to remote TV Tuners that have been repaired or altered outside our factory.

This warranty excludes all oral or other and implied warranties, and the manufacturer shall in no event be liable for damages for a breach of warranty in an amount exceeding the purchase price of the alleged defective equipment.

TO PLACE WARRANTY IN FORCE FILL OUT AND RETURN WARRANTY CARD WITHIN TEN (10) DAYS OF PURCHASE. NO POSTAGE IS REQUIRED.

REGENCY DIVISION, I.D.E.A., INC., Indianapolis 26, Ind.

div., I. D. E. A. Inc.

LS-10-054